Coordinate geometry



© Pearson 2021. Not for resale, circulation or distribution.

5

Coordinate geometry

🖓 KEY CONCEPT

Form

Change, Representation, Space

🕥 GLOBAL CONTEXT

Orientation in space and time

Statement of inquiry

Forms in space help us to understand changes in representation of objects.

Factual

- What is an ordered pair in a coordinate system?
- What is the gradient of a straight line?

Conceptual

- How can you determine the equation of a straight line?
- How do you know whether two lines will intersect?

Debatable

• Do vertical lines have undefined gradients or no gradients?

Do you recall?

- 1 Do you remember how to represent a point with coordinates (*x*, *y*) in the number plane? Copy the number plane and plot these points: *A*(3, 4), *B*(-2, 3), *C*(-2, 0), *D*(5, -1)
- 2 a Plot the points A(1, 1), B(5, 1) and C(5, 3) and join them to form triangle ABC.
 - **b** What is the length of each side of the triangle?
- 3 Sketch the graph of y = 3x 2



$$a \frac{x-1}{2} = 3$$

b
$$7x + 3 = 3x + 11$$

5 Solve the inequality 2x + 3 > 7 and graph its solution on a number line.





© Pearson 2021. Not for resale, circulation or distribution.



Points in the number plane

🛡 Hint

Ordered pairs are used to describe points in the coordinate plane. For example, the point (4, 3) has *x*-coordinate 4 and *y*-coordinate 3.

Explore 5.1

Look at the lines drawn in this diagram.

List all the information that the diagram shows. Include the coordinates of the intersection point, *A*.



💮 Fact

The *x*-axis can be described as the line y = 0and the *y*-axis as the line x = 0

Worked example 5.1

Plot the points A(3, 4), B(-2, 3), C(-2, 0) and D(5, -1) on the coordinate plane.

Solution

Point *A* is the point of intersection of the lines x = 3 and y = 4You can find points *B*, *C* and *D* in a similar way.



Practice questions 5.1



1 Use the diagram on the previous page to write the coordinates of each of these points.

| a | A | b | В |
|---|---|---|---|
| c | С | d | D |
| e | Ε | f | F |
| g | G | h | Η |
| i | Ι | j | J |
| | | | |

k *K*

2 Using the diagram in question 1, answer the following questions.

- **a** What type of triangle is *EFD*? Find its area.
- **b** What type of quadrilateral is *GEHC*? Find its area.
- 3 Draw a coordinate plane with *x* and *y*-axes from -6 to 6.Plot each set of points and join them in the order given.Name each geometrical shape that you make.
 - **a** (-2, 2), (2, 2), (2, -2), (-2, -2), (-2, 2)
 - **b** (-5, 1), (-2, 1), (0, -1), (-6, -1), (-5, 1)
 - **c** (0, 1), (2, -2), (-3, -1), (0, 1)
 - **d** (-3, 4), (-1, 4), (-2, 2), (-4, 2), (-3, 4)
- 4 Find the distance between each pair of points.
 - **a** (2, 5) and (-3, 5)
 - **b** (-1, 4) and (-7, 4)
 - **c** (-3, 4) and (-3, -5)
 - **d** (4, 9) and (4, -1)
 - **e** (2, −2) and (5, 2)
- 5 a On a coordinate plane, plot the points A(-2, 3), B(3, 3), C(4, -1) and D(-1, -1) and join the points with straight lines in the order given.
 - **b** Use what you learned in the previous questions to find the area of *ABCD*.
 - **c** Find the perimeter of *ABCD*.

P Challenge Q2

🛡 Hint Q4a

Plot the points and count the number of units between them.

🛡 Hint Q4e

Use Pythagoras' theorem $a^2 + b^2 = c^2$





6 Complete the tables by filling in the missing *x*- or *y*-coordinates for each of these lines.

Line AB



Line CD

| x | -3 | | -1 | |
|---|----|---|----|---|
| у | | 2 | | 6 |

Line EF

| x | 1 | | -3 | |
|---|---|---|----|----|
| у | | 2 | | -5 |

Line GH

| x | -4 | | 0 | |
|---|----|----|---|----|
| у | | -1 | | -1 |

Line IJ

| x | 2 | | 2 | |
|---|---|---|---|----|
| у | | 0 | | -4 |



🕎 Challenge Q7

- 7 Match each of the lines in the grid below with the correct rule.
 - a The *x*-coordinate is half of the *y*-coordinate.
 - b The sum of the *x* and *y*-coordinates is −1.
 - c The *y*-coordinate is three times the *x*-coordinate.
 - d The *x*-coordinate is 1 less than double the *y*-coordinate.



\infty Connections

Fun with the number plane: sinking battleships!

This is a game for two players/groups.

- 1 Each player draws their fleet of ships on a coordinate grid by plotting points at the intersection of the gridlines. Agree on the size of the coordinate grid in advance the bigger it is, the longer the game is likely to take. Each ship must be represented by a continuous row of points along either a horizontal, vertical or sloping line. Each person's fleet should consist of ships with *5*, 4, 3 and 2 plotted points.
- 2 The aim of the game is to 'sink' each other's ships by guessing where they are positioned on the grid.
- 3 Players take turns to play. Each player is given 2 'shots' on each turn. For each shot you should guess a pair of coordinates where you think your opponent has positioned a ship. The coordinates you try must consist of all combinations of sign, that is, one each of (+, +), (-, +), (-, -), and (+, -). A player who violates this rule forfeits the rest of the turn. You should record the shots that both you and your opponent make on separate charts so you know what has been hit.
- 4 If a shot misses, your opponent declares 'miss' and you both place an open circle in the appropriate position on your chart.
- 5 If a shot hits, your opponent declares 'hit' and you both place an X in the appropriate position.
- 6 Your opponent should tell you when you have found all the coordinates of an entire ship, by saying, for example, 'You sank a ship of size 3.'
- 7 Continue taking turns to play until one of you has sunk the other's entire fleet.

Here is an example of how to draw a fleet of ships. 6 Guessing (1, -2) is a hit and 5 (0, 0) is a miss! 4 3 2 10-3 - 5 -4 -1 -2 -3 -4 - 5 6



2 Graphing straight lines

Explore 5.2

Imagine you are a carpenter. You have a straight edge, a pencil and a piece of wood. Before cutting the wood, you need to draw a line so that you can see where to use your saw. What do you need to know/do?

The points on a straight line are linked by an equation. To graph a straight line, you need to plot at least two points on the line that satisfy this equation. Two points that can easily be found are the *x*-intercept, where the straight line crosses the *x*-axis, and the *y*-intercept, where the straight line crosses the *y*-axis.

↓ Worked example 5.2

A straight line has equation x + y = 4. The table shows the *x*- and

y-coordinates of the line.

Fill in the missing values in the table.

| x | 1 | | 3 | | 5 |
|---|---|---|---|---|---|
| у | | 2 | | 5 | |

Plot the points on a coordinate plane and join them to draw the graph of the line.

Solution

Understand the problem

A straight line is a set of points on a coordinate plane. The *x*- and *y*-coordinates of each point must satisfy the equation of the line.

Make a plan

We need to substitute the given x- or y- coordinate into the equation of the line to figure out the missing ordered pair. When we have found all five ordered pairs on the line, we can plot and join them to graph the line. In fact, we only need two points. Can you justify why?

Carry out the plan

To find the missing coordinate, substitute the known part of each ordered pair into the equation of the line.

When x = 1, 1 + y = 4, thus y = 4 - 1 = 3The first point is (1, 3). When y = 2, x + 2 = 4, thus x = 4 - 2 = 2The second point is (2, 2). When x = 3, 3 + y = 4, thus y = 4 - 3 = 1

© Pearson 2021. Not for resale, circulation or distribution.

🖲 Hint

You need at least two points to draw a straight line. The third point is (3, 1).

When y = 5, x + 5 = 4, thus x = 4 - 5 = -1

The fourth point is (-1, 5).

When x = 5, 5 + y = 4, thus y = 4 - 5 = -1

The fifth point is (5, -1).

Now, plot these points A(1, 3), B(2, 2), C(3, 1), D(-1, 5) and E(5, -1) on the coordinate plane and join them with a straight line. The line could be drawn by using any two of the points.



Look back

Is the solution true? Yes. When we add the *x*- and *y*-coordinates of the points *A*, *B*, *C*, *D*, *E* we get 4.

A: 1 + 3 = 4, B: 2 + 2 = 4, C: 3 + 1 = 4, D: -1 + 5 = 4, E: 5 + (-1) = 4

Worked example 5.3

A straight line has the equation x - y = -3

Identify 3 different points on the line. Plot and join the points to draw the graph of the line.

Solution

We are asked to find 3 different points on the line x - y = -3

The plan is to find 3 ordered pairs or points by using the equation of the line. We can select any 3 *x*-coordinates and find corresponding *y*-coordinates from the equation of the line. Then plot the points on the plane and connect two of them with a straight line.

To find the points, substitute selected *x* values into the equation and work out the corresponding *y* values.

When x = 1, 1 - y = -3, y = 4The first point is (1, 4).

When x = 2, 2 - y = -3, y = 5

The second point is (2, 5).

When x = 3, 3 - y = -3, y = 6

The third point on the line is (3, 6).

Plot the points A(1, 4), B(2, 5) and C(3, 6) on the coordinate plane and join any two of them with a straight line.



Does the answer fit the equation? Yes. When we subtract the *y*-coordinates from the *x*-coordinates of the points *A*, *B*, *C* we get -3. *A*: 1 - 4 = -3, *B*: 2 - 5 = -3, and *C*: 3 - 6 = -3

🔁 Reflect

Could you have drawn the lines in Worked examples 5.2 and 5.3 differently?

🛡 Hint

You only need to plot two points to draw a straight line. The *x*- and *y*-intercepts are easy to find because one of the coordinates is 0 at each of these points.

For Worked example 5.2, a simple way of drawing the line with equation x + y = 4 is to plot the *x*-intercept (4, 0) and the *y*-intercept (0, 4) and connect these points on the coordinate plane.

For Worked example 5.3, a simple way of drawing the line with equation x - y = -3 is to plot the *x*-intercept (-3, 0) and the *y*-intercept (0, 3) and connect these points on the coordinate plane.

Worked example 5.4

Does the point (1, 3) lie on the straight line with equation y = 3x + 2?

Solution

We want to know whether the point (1, 3) is on the straight line with equation y = 3x + 2

We can substitute the coordinates of the point (1, 3) into the equation to see if it satisfies the rule.

Now, substituting x = 1 into y = 3x + 2 gives

$$y = 3 \times 1 + 2$$
$$= 5$$

Hint

If a point is on a line, then the coordinates of the point must satisfy the equation of the line.





The *y*-coordinate of the point (1, 3) is 3. Since $3 \neq 5$, the point (1, 3) is not on the line y = 3x + 2

Looking back, the *x*- and *y*- intercepts of the line with equation y = 3x + 2 are $\left(-\frac{2}{3}, 0\right)$ and (0, 2) respectively. If we draw the line y = 3x + 2 and plot the point (1, 3) on a coordinate plane, we can see that this point is not on the line.



Practice questions 5.2

1 Copy and complete the table for each of these equations. **a** y = 2x **b** y = 3x + 1





- 2 On separate coordinate grids, draw the graphs of each of the equations in question 1. What do you notice about the lines in parts a and c of question 1?
- 3 Find the *x* and *y*-intercept of the graph of each of these equations.



- 4 For each equation in question 3, use the *x* and *y*-coordinates only to sketch each graph.
- 5 Draw the graph of each of these equations by plotting the *x* and *y*-intercepts only. After sketching all 4 lines, can you make an observation about the connection between the lines in parts a and c? What about those in parts b and d?
 - **a** x + 2y = 4 **b** y = 2x - 1 **c** $y = \frac{x}{2}$ **d** 2x + y - 4 = 0
- 6 On which of these lines does the point (1, −2) lie? Show how you work out your answer.
 - **a** 2x 3y = 6 **b** x 2y 5 = 0
- 7 Match each of these equations to its graph. Can you make an observation about the connection between the lines in parts a and c? What about those in parts b and d?
 - **a** $y = \frac{1}{2}x + 1$

b
$$y = 2x - 1$$

$$z \quad y = -2x + 2$$

 $\mathbf{d} \quad y = -\frac{1}{2}x - 1$



- 8 Write the *x*-intercept and the *y*-intercept of each of the straight lines (a, b, c and d) in question 7.
- 9 Which of the points (1, 4) and (-2, -2) lies on the line 2x y + 2 = 0? Show how you work out your answer.

3 Horizontal and vertical lines

Explore 5.3

Plot the following points on a coordinate plane. Join them with a line. What do you notice?



How would you describe horizontal and vertical lines?

Consider the line through the points (a, 0), (a, 1), and (a, 3), where *a* is any real number of your choice. Also, the line through (0, b), (1, b), and (4, b). What do you notice?



Horizontal and vertical lines

↓ Worked example 5.5

Draw the lines x = 4 and y = -2 on a coordinate plane. State whether the lines are horizontal or vertical.

Solution

We need to draw both the lines x = 4 and y = -2 on a coordinate plane by plotting points on the lines and connecting them.

The plan is to plot a minimum of two points on each line and graph the lines by connecting these two points. We can use the definition of vertical and horizontal lines to identify them.

Now, (4, 0) and (4, 1) are two points on the line x = 4. (0, -2) and (1, -2) are two points on the line y = -2

The line x = 4 has the form x = a, so it is a vertical line.

The line y = -2 has the form y = b, so it is a horizontal line.

Here are the graphs of the lines.



Looking back, x = 4 is a vertical line; the *x*-coordinate of all the points on the line is 4 and the line cuts the *x*-axis at 4.

y = -2 is a horizontal line; all the points on the line have *y*-coordinate -2 and the line cuts the *y*-axis at -2.

😫 Reflect

a

How do you use your GDC to graph y = -2 and x = 4?

How many points do you need to sketch a vertical or horizontal line?

Practice questions 5.3

1 Write down the equation of each of these vertical or horizontal lines.

b





2 Write down the equation of each of the lines A to G.



3 Draw these vertical and horizontal lines on the same coordinate plane.

x = 3 x = -1 y = -3 y = -1

What does the enclosed shape look like?

4 Write the coordinates of the points of intersection of all the lines A to G in question 2. How many intersection points did you count?

© Pearson 2021. Not for resale, circulation or distribution.

5 Does the point (4, 2) lie on the line x = 4? What about y = 3? Explain how you know.

- 6 Find the point of intersection of each pair of lines.
 - ax = 2 and y = 5bx = -3 and y = 5cx = -4 and y = -3dx = 0 and y = 2
 - **e** x = -5 and y = 0 **f** x = 0 and y = 0

P Challenge Q7

- 7 Find the point of intersection of each pair of lines.
 - a x + y + 1 = 0 and x = 2b y = 3x - 4 and y = 2c $y = -\frac{2}{3}x$ and x = 6d 2x - y + 3 = 0 and y = 1e x = 0 and y = -x - 4f y = 0 and $y = \frac{1}{2}x - 3$

5.4 Gradient and equation of a line

5.4.1 Gradient



3 Describe a rule for giving the steepness of any part of a route (*AB*, *BC*, and so on). Justify your rule.



Road sign showing a gradient

🛞 Fact

- If a line is horizontal, then there is no change in *y*, so we say that it has a zero gradient.
- If a line is vertical, then there is no change in *x*, so the gradient cannot be defined.
- A line sloping upwards from left to right is said to have a positive gradient. Line *AB* has a positive gradient.





• A line that slopes downwards from left to right is said to have a negative gradient. Line *CD* has a negative gradient.

Worked example 5.6

Find the gradients of these lines.



Solution

We need to calculate the gradient of the lines *AB*, *CD*, *EF* and *GH*. We know the coordinates of two points on each line.

We use the formula for the gradient using the coordinates we know on each line. Apply the formula from left to right.

gradient of $AB = \frac{\text{change in } y}{\text{change in } x} = \frac{1 \text{ up}}{2 \text{ right}} = \frac{1}{2}$ gradient of $CD = \frac{\text{change in } y}{\text{change in } x} = \frac{0}{3 \text{ right}} = 0$

Fact

The **gradient** or **slope** measures the steepness of a line.

Gradient can be defined as the ratio of rise to run.

Gradient = rise (change in y) run (change in x)

💮 Fact

The gradient of a line is also called the **slope** of the line.

© Pearson 2021. Not for resale, circulation or distribution.



Architectural design often requires an understanding of gradients (slopes)

gradient of
$$EF = \frac{\text{change in } y}{\text{change in } x} = \frac{3 \text{ down}}{1 \text{ right}} = \frac{-3}{1} = -3$$

gradient of $GH = \frac{\text{change in } y}{\text{change in } x} = \frac{3 \text{ down}}{0} = \text{ undefined}$

Check that the calculated gradients make sense. Line AB has a positive gradient and the ratio of rise: run is 1:2. Line CD is a horizontal line so we know the gradient is zero. Line EF has a negative gradient and the ratio of rise: run is -3:1. Line GH is a vertical line and the gradient of a vertical line cannot be defined.

Reflect

Can you find another, more direct way of calculating the gradient?

💮 Fact

- The gradient or slope of a line is usually denoted by a lower-case letter *m*.
- If the coordinates of two points on a line are $A(x_1, y_1)$ and $B(x_2, y_2)$, then the gradient of

the straight line AB can be described as $m_{AB} = \frac{y_2 - y_1}{x_2 - x_1}$ or $m_{AB} = \frac{y_1 - y_2}{x_1 - x_2}$

5.4.2 Equation of a straight line: the gradient-intercept form

Table 1

Investigation 5.2

Use available software or a GDC for this investigation

1 On the same coordinate plane, sketch the lines with equation y = mx + c for each pair of values for *m* and *c* given in Table 1.

| Table 1 | | | | | |
|---------|---|---|---|---|--|
| т | 2 | 2 | 2 | 2 | |
| с | 0 | 1 | 2 | 3 | |

- 2 What do you notice about the graphs you drew in question 1?
- 3 Now use a new page to draw, on the equation y = mx + c for each pair of values for *m* and *c* given in Table 2.

| Table 2 | | | | | |
|---------|---|---|---|---|--|
| т | 0 | 1 | 2 | 3 | |
| с | 1 | 1 | 1 | 1 | |

What do you notice about the graphs you drew in question 3? 4



Hint

and click on the start calculator button. Then you can enter the equation y = mx + c for each pair of *m* and *c* values and you will be able to draw the graphs.

-hl - 2 same coordinate plane, the lines with

152

5 Sketch the straight lines given by each of the equations in Table 3. Identify the gradient and *y*-intercept for each line.

Table 3

| Equation | Gradient | y-intercept |
|------------------------|----------|-------------|
| y = x + 1 | | |
| y = 2x - 1 | | |
| y = x - 1 | | |
| y = 2x + 1 | | |
| $y = \frac{1}{2}x - 2$ | | |
| y = -3x + 4 | | |

6 Suggest a way to describe the relationship between the values of *m* and *c* and the graph of the equation y = mx + c. Justify your suggestion.

When the equation of a line is written in the form y = mx + c:

• *m* is the gradient

• *c* is the *y*-intercept.

y = mx + c is called the **gradient-intercept** form of the equation of a straight line.

Worked example 5.7

- **a** For the line given in the diagram, find:
 - i the gradient
- **b** Write the equation of the line in gradient–intercept form.



💮 Fact

y = mx + c is also called the **slope-intercept** form.

Solution

We need to identify the gradient and *y*-intercept of the line. Note that the line has a negative gradient.

The plan is to use the gradient formula with any two points on the line to find the gradient, *m*. We can find the *y*-intercept by looking at where the graph cuts the *y*-axis.

a i Two points on the line are the *y*-intercept (where the graph cuts the *y*-axis) (0, 2) and the *x*-intercept (where the graph cuts the *x*-axis) (6, 0). We can substitute these values into the gradient formula to find *m*:

$$m = \frac{2-0}{0-6} = \frac{2}{-6} = -\frac{1}{3}$$

- ii The *y*-intercept has coordinates (0, 2).
- **b** In y = mx + c, *m* is $-\frac{1}{3}$ and *c* is the *y*-coordinate of the *y*-intercept, which is 2.

So the equation of the line is $y = -\frac{1}{3}x + 2$

To check our solution, we can find the *x*-intercept by substituting in y = 0:

$$0 = -\frac{1}{3}x + 2, \frac{1}{3}x = 2, x = 6$$

This gives (6, 0) as the *x*-intercept, as required.

The *y*-intercept is where x = 0:

$$y = -\frac{1}{3} \times 0 + 2 = 2$$

This gives (0, 2) as the *y*-intercept. So both points satisfy the given graph.

🔁 Reflect

Can the equation be found by a different method?

Practice questions 5.4



🛞 Fact

The equation of a straight line can be represented in different forms:

- gradient-intercept form: for example, y = 2x + 3
- general form: for example, 2x - y + 3 = 0 or y - 2x = 3

Both of these forms represent the same graph.



- 2 Find the gradient of the line passing through each pair of given points and then write its equation.
 - **a** A(1, 1) and B(2, 3)
 - **c** E(3, 1) and F(2, 4)



- **b** C(-1, 0) and D(0, -1)
- **d** G(0, 1.5) and I(-1.5, 3)

- Find the gradients of the lines *AB* and *CD*. Are the lines parallel?
- 4 Identify the gradient, *m*, and the *y*-intercept, *c*, of each line.

| a | y = 2x + 5 | b | y = x - 1 |
|---|---------------|---|------------------------------------|
| c | y = -x + 3 | d | y = 5x - 1 |
| e | y = 3x | f | x = 3 |
| g | y = 4 | h | 3x - 2y = 4 |
| i | x - y + 1 = 0 | j | $\frac{-1}{2}x - \frac{2}{3}y = 2$ |
| | | | |

Sonnections

See Chapter 6 for how to write an equation in different forms.

🛡 Hint Q3

Parallel lines have the same gradient.

Hint Q4

Use the gradient–intercept form y = mx + c



- 5 Draw the graph of each of these straight lines, given the gradient, *m*, and *y*-intercept, *c*.
 - **a** Gradient is -2 and y-intercept is 2
 - **b** Gradient is 3 and *y*-intercept is -2
 - c m = 2 and c = 0
 - **d** m = -1 and c = 5
 - e Gradient is $\frac{1}{2}$ and y-intercept is 1
- 6 Lines are parallel if they have the same gradient. Which of these pairs of lines are not parallel?
 - **a** y = 2x 5 and y = 2x + 1
 - **b** y = -x + 3 and y = 1 x
 - **c** y = 3x 2 and y = 2x 3
 - **d** x + y = 2 and -2x 2y 4 = 0

7 Match each equation with the correct line.

- **a** y = 2x + 1
- **b** y = 3x
- **c** y = -x + 1
- **d** y = 5
- **e** y = 2 2x





Explore 5.4

Without graphing two lines, how can you tell whether they intersect?

At how many different points can two lines intersect?

🕎 Challenge Q6d

• Two lines intersect if we can find a point that satisfies both of their equations. For example, the lines y = -2x + 4 and y = x + 1 intersect at A(1, 2).



If two lines intersect at more than one point, then they are the same line.
For example, y = x - 1 and 2x - 2y - 2 = 0 are the same line and they intersect at every point.



• If two lines do not intersect at any point, then they are parallel lines.



💮 Fact

If two lines are perpendicular (they cross at right angles), then the product of their gradients is -1.



Product of the gradients of the lines is $\frac{1}{2} \times -2 = -1$

For example, y = 3x - 1 and y = 3x + 2 have no points of intersection because they are parallel.

Worked example 5.8

Find the point(s) of intersection of each pair of lines.

- **a** y = x + 1 and y = 1 x
- **b** y = 3 and y = 2x + 1
- c x + y = 2 and y = x

Solution

For each pair of lines, we need to work out if there are any intersection points. We know how to draw the graph of a straight line from its equation.

To find the points of intersection, we can graph the lines using their equations and see if they intersect.

a The tables give three points on each line.





We can see from the table that (0, 1) is the point of intersection of the lines. The graphs of the lines y = x + 1 and y = 1 - x are shown in the diagram.

```
b y = 3
```



The tables show that (1, 3) is the point of intersection. The graphs y = 3 and y = 2x + 1 are shown in the diagram.



Intersecting airport runways

c x + y = 2

| x | -1 | 0 | 1 | | |
|-------|----|---|---|--|--|
| у | 3 | 2 | 1 | | |
| y = x | | | | | |
| x | -1 | 0 | 1 | | |
| v | -1 | 0 | 1 | | |



The tables show that (1, 1) is the point of intersection. The graphs of x + y = 2 and y = x are shown in the diagram.

The last step is to check whether our solutions make sense. We can substitute the coordinates of each point of intersection into the equations of each pair of lines to see if the solutions are correct.

For y = x + 1 and y = 1 - x, substitute (0, 1): y = x + 1, 1 = 0 + 1, 1 = 1 (true) y = 1 - x, 1 = 1 - 0, 1 = 1 (true) For y = 3 and y = 2x + 1, substitute (1, 3): y = 3, 3 = 3 (true) y = 2x + 1, $3 = 2 \times 1 + 1$, 3 = 3 (true) For x + y = 2 and y = x, substitute (1, 1): x + y = 2, 1 + 1 = 2, 2 = 2 (true) y = x, 1 = 1 (true)

Practice questions 5.5

1 Find the point of intersection of each pair of straight-line graphs.





Connections

We can also find the points of intersection of two lines algebraically. We call this solving a system of equations or solving simultaneous equations. С





- 2 Find the intersection points of each pair of lines.
 - **a** x + y = -2 and y = x
 - **b** 2x 3y 6 = 0 and $y = \frac{-1}{3}x + 1$
 - c y = -x + 2 and x 2y 2 = 0
 - **d** y = 2x + 2 and y = 2x 1
- 3 The graphs of four straight lines are shown in the diagram.



d

a Find the point of intersection of each pair of lines.

| i | AB and AC | ii | AB and BD |
|-----|-----------|----|-----------|
| iii | CD and AC | iv | CD and BD |

- **b** What geometrical shape is *ABCD*? How do you know?
- **c** Will *AC* and *BD* ever meet? Explain your answer.
- 4 Show that the lines 2x 3y + 9 = 0 and -2x 3y 9 = 0 intersect at (-4.5, 0).
- 5 Find the points of intersection of the line 2x + y = 6 with the *x*-axis and the *y*-axis.
- 6 Show that x 2y = 1 and y = 2x + 1 are perpendicular lines.
- 7 Show that 2x 4y + 6 = 0 and $y = \frac{1}{2}x 1$ are parallel lines.

Hint Q2

You can find the intersection between lines using your GDC.



🔪 Self assessment

I can identify ordered pairs on a coordinate plane. I can identify a horizontal line. I can graph points on a coordinate plane. I can identify a vertical line. I can find the distance between two points. I can represent the x-axis and y-axis as vertical and horizontal lines. I can draw a straight-line graph on a coordinate plane. I can find the gradient of a straight line. I can find the *x*-intercept of a straight-line graph. I can identify positive and negative gradients and describe them. I can find the *y*-intercept of a straight-line graph. I can explain the steepness of a straight line. I can determine whether or not a point lies on a straight line. I know that gradient and slope are the same I can use the gradient formula. thing. I can use a GDC or available software to draw I can explain whether or not two lines are straight lines. parallel. I can write the equation of a straight line in the I can explain whether or not two lines are perpendicular. form y = mx + cI can find the points of intersection of two lines I can explain what is meant by the gradientgeometrically. intercept form of the equation of a straight line. I can determine whether or not two lines will I can use different forms of the equation of a intersect. straight line to draw its graph.

Check your knowledge questions

Questions 1–3 refer to this diagram.



1 Name the points whose coordinates are given by each of these ordered pairs.

a (0, 4) **b** (-2, 1) **c** (2, -1) **d** (2, 3)

© Pearson 2021. Not for resale, circulation or distribution.

Write down the coordinates of each of these points. 2 a N **b** *H* **c** *F* **d** B 3 Find the distance between each pair of points. **a** *M* and *P* **b** D and F**c** *H* and *J* **d** B and He A and F 4 Graph the straight line given by each of these equations. **a** y = 3x - 1**b** y = -2x + 1**c** y = 2x - 2**d** x + y = 3

Questions 5–8 refer to this diagram.



- d EF e FG 6 Find the gradient of each line.
 - **b** *AC* a AB c CD d BD e FG f EF

Challenge Q3e

- 7 Find the equation of each line in gradient–intercept form.
 - a AGb ABc BDd CDe ED
- 8 Find the coordinates of the point of intersection of each pair of lines.

| a | AG and EF | b | AB and BD | С | AD and BC |
|---|-----------|---|-----------|---|-----------|
| d | AB and ED | e | AG and CD | | |

9 State the *x*-intercept and the *y*-intercept of each of these lines.

| a | y = 3x - 5 | b | y = -x + 1 |
|---|---------------|---|--------------|
| с | x - y - 3 = 2 | d | 2x + 3y = 12 |

- **10** Find the equation of the straight line passing through points A(1, 2) and B(0, 3).
- **11** The graph shows the line *AB*.



Find:

a the *x*-intercept

b the *y*-intercept

c the equation of the line in gradient–intercept form.

12 The diagram shows the lines *AB* and *AC*.



- a Find:
 - i the equation of the line *AB*
 - ii the equation of the line AC.
- **b** What do you observe about the lines *AB* and *AC*?
- 13 Determine whether each point lies on the given line.
 - **a** A(1, 2) and y = 2x 1 **b** B(-1, 1) and x + y = 0
 - **c** C(2, -1) and x 2y + 5 = 0 **d** D(0, 1) and 2x 5y = -5

P Challenge Q12b