Name_	Date

Geometry Unit 1 Line Master 6a

Rotation Symmetry and 2-D Shapes

If you can rotate a 2-D shape less than one full turn and it still looks the same, the shape has rotation symmetry.

Let's explore what we mean by this.

All regular polygons have rotation symmetry. The number of times a shape can be rotated within 360° (one full turn) and still look the same is called the *order of rotation symmetry*. When determining if a shape has rotation symmetry, we rotate it about its centre.

Cut out or trace the shapes below and rotate them about their centre to see for yourself.

The order of rotation symmetry of a regular polygon is equal to the number of sides or angles!

A shape has *rotation symmetry* if it coincides with itself in less than one full turn about the centre of the shape.

The number of times a shape coincides with itself within a rotation of 360°, including either the beginning or ending position, is its *order of rotation symmetry*.

Name	Date

Geometry
Unit 1 Line Master 6b

Rotation Symmetry and 2-D Shapes(cont'd)

Fill in the missing numbers.

An equilateral triangle has 3 equal sides and 3 equal angles. In one full turn about its centre, an equilateral triangle coincides with itself (looks the same) 3 times. So, an equilateral triangle has order of rotation symmetry 3.	•
A square has equal sides and equal angles. In one full turn about its centre, a square coincides with itself (looks the same) times. So, a square has order of rotation symmetry	•
A regular pentagon has equal sides and equal angles. In one full turn about its centre, a regular pentagon coincides with itself (looks the same) times. So, a regular pentagon has order of rotation symmetry	
A regular hexagon has equal sides and equal angles. In one full turn about its centre, a regular hexagon coincides with itself (looks the same) times. So, a regular hexagon has order of rotation symmetry	•

Name	Date
Geometry Unit 1 Line Master 6b	Rotation Symmetry and 2-D Shapes(cont'd)

Repeat for a regular polygon of you	Draw the polygon	
A has has has	s equal sides an	here with the centre marked.
In one full turn about its centre, a		
coincide	es with itself (looks th	ne
same) times. So, a order of rotation symmetry		has

On Line Master 7, we will use this information to write code to model rotation symmetry.